bott vario3

for your MAN



Innovative system solutions



Lightweight aluminium construction

bott vario3

As individual as your trade.



Fitter




Service technician



Fleet manager



Electrician





Builder

Carpenter



Painter and decorator





Two brands – one system

Regardless of which MAN model you have opted for, we can offer you the ideal bott vario3 in-vehicle equipment solution. The fixing points perfectly align with your MAN vehicle's design. We guarantee an optimum planning process, secure installation and damage free removal. We can offer you a range of pre-configured ready to install modules as well as customised designs

for your MAN. We also have an extensive range of complimentary accessories, load restraint options and organisation systems.

bott vario3 and MAN - connected.



Your idea – our design

Flexible modular system

Customised solutions

Experienced designers

Make the best use of the space available





Tailored, to suit your needs

Together with your bott planning expert you can customise the bott vario3 in-vehicle equipment to your individual requirements. With the help of a 3D visualisation, you can very quickly get an idea of what your new system will look like - you may well want to rethink it and change one thing or another. The bott team will focus on your requirements for your daily work. The planning begins with a detailed analysis of your needs. We take a close look at the equipment that you must have on a daily basis for your work.

Then our planning experts draw up a precisely-tailored van racking concept. The modular layout of bott vario3 in-vehicle equipment allows it to be configured to meet your needs. All tools and materials can be stowed where they are close to hand. A well designed mobile workspace reduces search times and makes your daily tasks easier.

Range of services

Services for fleets

Full-service solution

Cooperation with vehicle manufacturers

Financing advice

Efficient use of resources





Your system service provider

You have opted for a MAN commercial vehicle. By making this choice, you have also established the perfect conditions for the installation of bott vario3 in-vehicle equipment.

We collaborate closely with this vehicle manufacturer to ensure that our in-vehicle equipment perfectly fits into all MAN commercial vehicle models. The dimensions and fixing points of the bott vario3 components are a perfect fit for your vehicle's design. This means that you can make the best use of the available storage

space. It also guarantees a secure installation and therefore safe vehicle handling, as well as – if worse comes to the worst – maximum safety in an accident. This applies to the pre-configured modules as well as our customised in-vehicle equipment solutions, designed by us to perfectly match your needs. Combining your commercial vehicle with bott vario3 in-vehicle equipment therefore means that you have an interconnected system.

Crash tested

Safety for driver and load

Meets the ECE R44 standard


50 km/h impact speed



bott vario3 in-vehicle equipment always meets the high requirements of the tests. The results demonstrate that the driver and the front passenger can rely on bott vario3 in case of emergency.

To the crash test.









Proven safety

Our crash tests have proven how safe the bott vario3 in-vehicle equipment is for you and your employees. Independent experts conduct the tests with a fully-loaded vehicle. The load on the components is equivalent to that experienced during a traffic accident.

The crash tests simulate the collision of the vehicle with an obstacle at a speed of 50 km/h - in accordance with ECE directive R44. The bott vario3 in-vehicle equipment more than meets the strict requirements of the tests.

In an emergency you can completely rely on bott vario3 in-vehicle equipment.

The tests particularly focus on the fixing points to the bodywork on the floor and the side walls of the vehicle. The overall construction of the in-vehicle equipment is also important. The tests clearly show how it absorbs the enormous forces through systematic torsion of the components. We also pay great attention to all moving parts. Nothing will fall off the shelves and the drawers remain tightly closed.

Floors & Linings

Robust bodywork protection

Versatile attachment points for load restraint

Easy-to-clean load space





The solution for load space protection

Vehicle specific floors and linings from bott protect the load space against damage in day to day use and help retain the value of your vehicle for the long term. Floors, side linings and, if required, even roof liners are available. The bott vario floor panel is firmly attached to your commercial vehicle. The floor panel has an anti-slip coating, so that you always have a firm footing – even in wet weather. Fitting inner panelling protects the paint work and thus maintains the value of your commercial vehicle.

Our side lining is available in various configurations; made of recyclable plastic or perforated aluminium sheet for use with bott perfo tool hooks and holders.


A roof liner finishes off your load space lining. Further lashing rails for attaching shoring poles can be integrated in the roof liner –with integrated LED lighting. The integration of internal lighting is an essential addition for those working at dawn/dusk or during the night.

Floor

bott vario floor




- Lightweight and moisture-repellent 12 mm birch plywood floor
- Top side: robust and slip-resistant synthetic resin film coating with bott decor
- Underside: synthetic resin film coating with smooth finish
- Edges: profiled, moisture-resistant grey finish with aluminium edge protection at the door openings
- If the floors have lashing rails, the edge protection is usually integrated
- Pollutant class E1 as per EN 717-2 / anti-slip R10, taber value > 500
- Fixings included
- Integral hold-down cups simplify the installation process



bott vario floor with transverse lashing rails

- With aluminium edge protection at the door openings
- The lashing rails are positioned directly below a roof rib
- Plastic covers ensure easy access to vehicle lashing eyes and make it easier to clean the load space



bott vario floor with longitudinal lashing rails

- With aluminium edge protection at the door openings
- The standard distance between the lashing rails is 880 mm; other distances are possible on request
- Plastic covers ensure easy access to vehicle lashing eyes and make it easier to clean the load space



bott vario floors in various versions

| Model | TGE L3-FA/HA | TGE L3 Dual tyres | | |
|------------------------------------|--------------|----------------------|--|--|
| Model year | 2017 | 2017 | | |
| Wheelbase mm | 3640 | 3640 | | |
| Without step-edge protection | 11320191 | 11320188 | | |
| With step-edge protection | 11310191 | 11310188 | | |
| With transverse lashing rails | 11312191 | 11312188 | | |
| Number of transverse lashing rails | 5 | 5 | | |
| With longitudinal lashing rails | 11321191 | 11321188 | | |

| Model | TGE L4-FA/HA | TGE L4 Dual tyres | | |
|------------------------------------|--------------|----------------------|--|--|
| Model year | 2017 | 2017 | | |
| Wheelbase mm | 4490 | 4490 | | |
| Without step-edge protection | 11320192 | 11320189 | | |
| With step-edge protection | 11310192 | 11310189 | | |
| With transverse lashing rails | 11312192 | 11312189 | | |
| Number of transverse lashing rails | 5 | 5 | | |
| With longitudinal lashing rails | 11321192 | 11321189 | | |

| Model | TGE L5-FA/HA | TGE L5- Dual tyres | |
|------------------------------------|--------------|-----------------------|--|
| Model year | 2016 | 2016 | |
| Wheelbase mm | 4490* | 4490* | |
| Without step-edge protection | 11320193 | 11320190 | |
| With step-edge protection | 11310193 | 11310190 | |
| With transverse lashing rails | 11312193 | 11312190 | |
| Number of transverse lashing rails | 5 | 5 | |
| With longitudinal lashing rails | 11321193 | 11321190 | |

^{*} with overhang FA = FWD - Front wheel drive HA= RWD - Rear wheel drive Further versions on request - Shoring poles may not be used in vehicles with a plastic super high roof




bott vario protect interior side lining


- Pre-profiled side lining made from recyclable polypropylene
- Twin-wall panels, 4 mm thick, with structured surface on one side
- Colour: light grey (RAL 7035)
- UV-stable, low weight, will not corrode or decay, chemical resistant
- Extremely light and easy to clean
- Fixings included







| Model | TGE L3-H2 | TGE L3-H3 ** | TGE L4-H3-H4 ** | TGE L5-H3-H4 ** |
|--|-------------|--------------|-----------------|-----------------|
| Model year | 2016 | 2016 | 2016 | 2016 |
| Wheelbase mm | 3640 | 3640 | 4490 | 4490 * |
| For vehicles with right-hand sliding door and rear doors | 12225267.95 | 12225268.95 | 12225273.95 | 12225276.95 |
| For vehicles with right-hand sliding door and tailgate | 12225269.95 | 12225270.95 | 12225274.95 | 12225277.95 |




bott vario protect plus interior side lining

- Pre-profiled side lining made of 1mm thick aluminium
- Light and extremely resilient
- perfo perforated panel for attaching perfo hooks and holders
- Fixings included







| Model | TGE L3-H2 | TGE L3-H3 ** | TGE L4-H3-H4 ** | TGE L5-H3-H4 ** |
|--|-------------|--------------|-----------------|-----------------|
| Model year | 2016 | 2016 | 2016 | 2016 |
| Wheelbase mm | 3640 | 3640 | 4490 | 4490 * |
| For vehicles with right-hand sliding door and rear doors | 12225267.98 | 12225268.98 | 12225273.98 | 12225276.98 |
| For vehicles with right-hand sliding door and tailgate | 12225269.98 | 12225270.98 | 12225274.98 | 12225277.98 |








Interior side linings with modular wall connection system (rail / prorail)

- bott vario protect interior side linings with integrated lashing rails with Airline profile
- for fixing bott vario in-vehicle equipment or for load restraint with the aid of lashing straps and fittings
- Load is uniformly distributed through the vehicle body shell as the rails are bonded in place
- Lashing rails can remain in the vehicle on removal of racking and represent added value
- Fixings included

bott vario protect rail

with central lashing rail



bott vario protect prorail

■ with central & upper lashing rail






bott vario protect rail interior side lining

For vehicles with right-hand sliding door









For vehicles with

right-hand sliding door and rear doors









| Model | TGE L3-H2 | TGE L3-H3 ** | TGE L4-H3-H4 ** | TGE L5-H3-H4 ** |
|--|-------------|--------------|-----------------|-----------------|
| Model year | 2016 | 2016 | 2016 | 2016 |
| Wheelbase mm | 3640 | 3640 | 4490 | 4490 * |
| For vehicles with right-hand sliding door - with central lashing rail | 12220267.95 | 12220268.95 | 12220273.95 | 12220276.95 |
| For vehicles with right-hand sliding door and rear doors with central lashing rail | 12220269.95 | 12220270.95 | 12220274.95 | 12220277.95 |

bott vario protect prorail interior side lining

For vehicles with

right-hand sliding door









For vehicles with

right-hand sliding door and rear doors







| Model | TGE L3-H2 | TGE L3-H3 ** | TGE L4-H3-H4 ** | TGE L5-H3-H4 ** |
|--|-------------|--------------|-----------------|-----------------|
| Model year | 2016 | 2016 | 2016 | 2016 |
| Wheelbase mm | 3640 | 3640 | 4490 | 4490 * |
| For vehicles with right-hand sliding door - with central and upper lashing rails | 12221267.95 | 12221268.95 | 12221273.95 | 12221276.95 |
| For vehicles with right-hand sliding door and rear doors - with central and upper lashing rails | 12221269.95 | 12221270.95 | 12221274.95 | 12221277.95 |

Modulfeatures



bottBoxes

practical storage boxes for

service vehicles and workshops

and profiles





Module packages



Modules for every vehicle size






The bott vario3 van racking modules for your commercial vehicle offer versatile components for dividing the storage space. These can be easily adapted to the individual requirements of your trade. The bott vario3 van racking designers paid particular attention to safety, functionality and to making optimum use of the available space.




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

| Left module W x D x H [mm] | 2942 x 376 x 1150 |
|-----------------------------|-------------------|
| Right module W x D x H [mm] | 1486 x 376 x 1050 |
| Order ref. | 70099005.19M |
| Installation kit | 73510067.51V |



-C- Lash

All types of load restraint that utilise the -C- Lash lashing strap.

TopLash -C-Shelf load restraint.



FrontLash -OO-

Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.










- = 1 document holder
- 1 lashing strap with fitting and cam buckle
- = 1 TiltBox
- 1 T-slot mounted C-Lash lashing strap






bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo-/-C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

| Left module W x D x H [mm] | 2942 x 376 x 1600 |
|-----------------------------|-------------------|
| Right module W x D x H [mm] | 1486 x 488 x 1050 |
| Order ref. | 70099006.19M |
| | |



The right-hand module contains:

- = 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- **3** heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts



-C- LashAll types of load restraint that utilise the -C- Lash lashing strap.

TopLash -C-Shelf load restraint.



FrontLash -OO-

Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.








- 1 document holder
- 1 lashing strap with fitting and cam buckle
- = 1 TiltBox
- 1 T-slot mounted C-Lash lashing strap




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

| Left module W x D x H [mm] | 2942 x 376 x 1150 |
|-----------------------------|-------------------|
| Right module W x D x H [mm] | 1486 x 376 x 1050 |
| Order ref. | 70099005.19M |
| | |



-C- Lash

All types of load restraint that utilise the -C- Lash lashing strap.

TopLash -C-Shelf load restraint.



FrontLash -OO-

Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.










- = 1 document holder
- 1 lashing strap with fitting and cam buckle
- = 1 TiltBox
- 1 T-slot mounted C-Lash lashing strap






bott vario3 Green Package



The left-hand module contains:

- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 1 aluminium shelf with anti-slip mat and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

| Left module W x D x H [mm] | 2942 x 376 x 1550 |
|-----------------------------|-------------------|
| Right module W x D x H [mm] | 1486 x 488 x 1050 |
| Order ref. | 70099007.19M |
| | |



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- **3** heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and
 2 aluminium drop-fronts



-C- LashAll types of load restraint that utilise the -C- Lash lashing strap.

TopLash -C-Shelf load restraint.



FrontLash -OO-

Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.







- = 1 document holder
- 1 lashing strap with fitting and cam buckle
- 1 TiltBox
- 1 T-slot mounted C-Lash lashing strap




bott vario3 Silver Package



The left-hand module contains:

- 2 aluminium shelves with anti-slip mats, integrated load restraint (-C-) and 8 lashing straps (-C-)
- 2 bottBox shelves with 15 bottBoxes
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-)
- 1 floor storage compartment with cam buckle strap (-C-)
- 2 end frames with integrated load restraint (-oo-)



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-)

| Left module W x D x H [mm] | 2942 x 376 x 1150 |
|-----------------------------|-------------------|
| Right module W x D x H [mm] | 1486 x 376 x 1050 |
| Order ref. | 70099005.19M |
| Installation kit | 73510067 51V |



-C- Lash

All types of load restraint that utilise the -C- Lash lashing strap.

TopLash -C-Shelf load restraint.



FrontLash -OO-

Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.










- = 1 document holder
- 1 lashing strap with fitting and cam buckle
- = 1 TiltBox
- 1 T-slot mounted C-Lash lashing strap



vario3




bott vario3 Green Package



The left-hand module contains:

- 1 aluminium long item top tray with anti-slip mat
- 3 bottBox shelves with 25 bottBoxes
- 2 aluminium shelves with anti-slip mats, integrated load restraint (-oo- / -C-) and 8 lashing straps (-C-)
- 1 drop-front shelf with aluminium drop-front and anti-slip mat
- 2 aluminium shelves with anti-slip mats and dividers
- 1 floor storage compartment with integrated load restraint (-oo-) and aluminium drop-front
- 1 load restraint kit with lashing strap (-oo-)
- 3 end frames with integrated load restraint (-oo-)

| Left module W x D x H [mm] | 2942 x 376 x 1700 |
|-----------------------------|-------------------|
| Right module W x D x H [mm] | 1486 x 488 x 1050 |
| Order ref. | 70099008.19M |
| Installation kit | 73510067.51V |



The right-hand module contains:

- 1 aluminium shelf with anti-slip mat, integrated load restraint (-oo- / -C-) and 4 lashing straps (-C-)
- 3 heavy duty drawers with anti-slip mats
- 2 Systainer³ Organizer M 89 with 12 boxes each
- 1 Systainer³ M 187
- 1 floor storage compartment with integrated load restraint (-oo-) and 2 aluminium drop-fronts
- 3 end frames with integrated load restraint (-oo-)



-C- Lash All types of load restraint that utilise the -C- Lash lashing strap.

TopLash -C-Shelf load restraint.



FrontLash -OO-

Horizontal and vertical load restraint at the shelf fronts. Compatible with the Airline system.



- 1 document holder
- 1 lashing strap with fitting and cam buckle
- 1 TiltBox
- 1 T-slot mounted C-Lash lashing strap





Maximum storage space

Light, stable and secure

Weatherproof aluminium





Practical roof storage solutions

You'll find the most suitable load support system among our product range. Our roof rack systems are light, stable and secure. They offer maximum storage space on the vehicle roof and are efficient and durable. The aerodynamic components made of anodised aluminium minimise air resistance and wind noise.

With our comprehensive range of accessories you can extend the roof rack system according to your needs, for example with a ladder lift for ergonomic and convenient ladder storage. The bott ladder lifts are suitable for quick, simple and safe loading and unloading of the ladders secured on the vehicle roof.

Basic roof rack



| Model | TGE | TGE | TGE | TGE |
|----------------------|--------------|--------------|--------------|--------------|
| Year of construction | 2016 | 2016 | 2016 | 2016 |
| Wheelbase mm | 3640 | 3640 | 3640 | 4490/4490** |
| Vehicle length | L3 | L3 | L3 | L4/L5 |
| Vehicle height | H2/H3 | H2/H3 | H2/H3 | НЗ |
| Rear access | Double doors | Double doors | Double doors | Double doors |
| Number of roof bars | 2x | 3x | 4x | 2x |
| Order ref. | 35001117 | 35001118 | 35001119 | 35001122 |

| Model | TGE | TGE |
|----------------------|--------------|--------------|
| Year of construction | 2016 | 2016 |
| Wheelbase mm | 4490/4490** | 4490/4490** |
| Vehicle length | L4/L5 | L4/L5 |
| Vehicle height | Н3 | H3 |
| Rear access | Double doors | Double doors |
| Number of roof bars | 3x | 4x |
| Order ref. | 35001123 | 35001124 |

^{*} The modular roof rack is not suitable for the fibreglass roof variant (Super-high roof) or for vehicles fitted with a reversing camera ** with over hang



Load stops



■ For fitting to a roof bar in a basic roof rack with 3 or 4 roof bars


| Pack quantity (pieces) | 2 |
|------------------------|----------|
| Order ref. | 35002034 |

Rear loading roller - suitable for basic roof racks



| Model | TGE |
|---------------------------|-----------------|
| Year of construction from | 2016 |
| Wheelbase mm | 3640/4490/4490L |
| Vehicle length | All |
| Vehicle height | H3 |
| Rear | Double doors |
| Order ref. | 35002032 |

Aluminium storage tube for long items



- Lockable and puncture-resistant steel insert at both ends
- Max. load capacity: 50 kg
- Made of powder-coated aluminium

| Version for | Pipes up to 3 m | Pipes up to 4 m | Pipes up to 5 m |
|-------------|-----------------|-----------------|-----------------|
| Order ref. | 35002050 | 35002051 | 35002052 |



"I have to reach new heights every day. Ladders are a piece of essential equipment for me. I can fasten them securely to the roof of my van. Bott's practical loading aid makes them easy to load and unload."



Modular roof rack



| Model | TGE | TGE | TGE |
|---------------------------|--------------|--------------|--------------|
| Year of construction from | 2016 | 2016 | 2017 |
| Wheelbase mm | 3640 | 4490 | 4490** |
| Vehicle length | L3 | L4 | L5 |
| Vehicle height | H2/H3 | H3 | H3 |
| Rear access | Double doors | Double doors | Double doors |
| Modular roof rack | 1,60 x 3,6 m | 1,60 x 4,2 m | 1,60 x 4,8 m |
| Order ref. | 35001120 | 35001121 | 35001102 |

^{*} The modular roof rack is not suitable for the fibreglass roof variant (Super-high roof) or for vehicles fitted with a reversing camera ** with over hang

Load restraint

Load restraint made easy

Safety for driver and load

Always legally compliant





Safe on the road

All system components of the bott vario3 in-vehicle equipment range offer innovative possibilities for simple load restraint. Therefore all material and equipment is safely stored, either with the tried-and-tested airline lashing rails or with our new C-Lash fixing, which enables particularly simple handling. C-Lash is so flexible that you can use minute adjustments to attach the lashing straps to our unique aluminium profiles.

That's how you can secure your load and equipment in any driving conditions, even when you're on bad roads. Within our wide product range you'll find the right type of load restraint for any application you could wish for.

Lashing rails with protective profile



- Contact surface with antiabrasion strips, ideal for transporting goods with sensitive surfaces
- For straps with fitting
- Width 46 mm
- Strap attachment points every 25 mm
- Load bearing capacity up to 500 daN (depending on the type of fixing)
- Includes end caps
- The green protective profile can be replaced by LED strips
- End cap lashing rail: 85001138.19V

| Rail length [mm] | 1000 | 1500 | 2000 | 3000 | linear metre |
|------------------|--------------|--------------|--------------|--------------|--------------|
| Order ref. | 67901014.98V | 67901015.98V | 67901016.98V | 67901017.98V | 67901018.98V |

Load-securing case for vehicles with lashing rails



- Ideal for vehicles with bott vario3 in-vehicle equipment with integrated lashing points and/or lashing rails
- The use of lashing straps with fittings allows transported goods to be secured in a fast and reliable way using the lashing points or lashing rails of the vehicle
- Set consisting of:
- 1x Systainer³ Organizer M 89
- \blacksquare 2 x lashing strap 3.5 m with fitting and cam buckle
- 2 x lashing strap 3.5 m with fitting and ratchet
- 6x load restraint pad
- 6x strap protection pad
- including important information on load restraint

| Dimensions W x D x H [mm] | 396 x 296 x 89 |
|---------------------------|----------------|
| Order ref. | 72610038.19V |



Ratchet strap with fitting



- bott branded strap in anthracite grey
- Suitable for lashing rails
- Strap width 25 mm



| Load capacity [daN] Order ref. | 500 62626005.19V | 500 62626006.19V | 400 62626069.19V | 500 62626007.19V | 500 62626008.19V | 500 62626049.19V |
|---------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Load conscitutedaNil | Γ00 | Γ00 | 400 | Γ00 | Γ00 | Γ00 |
| Fixed end [mm] | 130 | 130 | 130 | 500 | 500 | 500 |
| Strap length [mm] | 1000 | 2500 | 3000 | 3500 | 5000 | 2500 |


Ratchet strap with fitting and cam-buckle



- bott branded strap in anthracite grey
- Suitable for lashing rails
- Strap width 25 mm

| Strap length [mm] | 1000 | 2500 | 2500 | 3500 | 5000 |
|---------------------|--------------|--------------|--------------|--------------|--------------|
| Fixed end [mm] | 130 | 130 | 500 | 500 | 500 |
| Load capacity [daN] | 150 | 150 | 150 | 150 | 150 |
| Order ref. | 62626009.19V | 62626010.19V | 62626050.19V | 62626011.19V | 62626012.19V |


Load-securing net



- Close-meshed knitted load-securing net
- Tested according to VDI 2700
- Mesh width 45 x 45 mm
- Load capacity up to 400 daN
- Cam-buckle strap around circumference

| Version | 4x hook | 4x fitting | 4x hook | 4x fitting |
|-----------------------|--------------|--------------|--------------|--------------|
| Dimensions W x D [mm] | 1250 x 730 | 1250 x 730 | 2290 x 1500 | 2290 x 1500 |
| Order ref. | 62627006.19V | 62627007.19V | 62627008.19V | 62627009.19V |

Load-restraint blanket



- For securing the load in the vehicle and on the flatbed
- Anti-theft protection thanks to the opaque fabric
- Tested according to VDI 2700
- Load capacity up to 300 daN
- Colour: anthracite grey

| Version | 4x cam buckle strap with flat hook ends | 4x cam buckle strap with fitting | 6x cam buckle strap with flat hook ends | 6x cam buckle with fitting |
|-----------------------|---|----------------------------------|---|----------------------------|
| Dimensions W x D [mm] | 1250 x 730 | 1250 x 730 | 2290 x 1500 | 2290 x 1500 |
| Order ref. | 62627010.19V | 62627011.19V | 62627012.19V | 62627013.19V |



Shovel and tool holder for the rear doors



- For the clean secure storage of shovels and similar tools with handles
- Easy cleaning thanks to individually removable dirt catch pan
- Simple and fast load restraint thanks to C-Lash lashing strap
- Rear panel with perfo perforated panel for attaching perfo hooks for fixing the tools
- incl. 10x perfo hooks (5x length 100 mm / 5x length 150 mm)
- incl. bracket for installation
- Material: anodised aluminium



| Dimensions W x D x H [mm] | 506 x 220 x 1545 |
|---------------------------|------------------|
| Order ref. | 73502065.97V |

Snap fastener



- For fast and secure mounting of small and long parts
- Material: Zinc-plated steel
- Tensioning strap: Plastic, black

| Dimensions W x D x H [mm] | 150 x 40 x 40 | 150 x 40 x 40 |
|---------------------------|---------------|---------------|
| Clamping range [mm] | 16-32 | 33-47 |
| Order ref. | 63003041.51V | 63003042.51V |

Ladder holder, 3-piece



- 3-piece, for single and double ladders
- Attaches to vehicle roof spar by means of a central folding mechanism
- Colour: anthracite grey (RAL 7016)



| Version | Suitable for use with ladder spars from 70 to 100 mm | Suitable for use with ladder spars from 130 to 160 mm |
|---------------------------|--|---|
| Dimensions W x D x H [mm] | 46 x 300 x 130 | 46 x 300 x 130 |
| Order ref. | 63003083.19V | 63003084.19V |



Holder for plate compactor with lashing strap



- For the secure transportation of plate compactors in vans or on a flatbed
- Will accommodate a plate size of W x D: 280 x 330-350 mm
- Handle height is adjustable
- Incl. lashing strap



| Dimensions W x D x H [mm] | 315 x 560 x 930 |
|---------------------------|-----------------|
| Order ref. | 07002234.19 |

Height-adjustable shoring pole



- Used to secure large items in transit
- Telescopic bar can be shortened or extended quickly without tools
- 4 different sizes available, each with a different adjustment range
- Guide value: Blocking capacity BC x 4 = max. permitted load weight for rear load restraint
- Starting from length 1550 mm with circumferential rubber coating, in the lower area, for increased slip-resistance as well as additional protection for the load



| Shoring pole length [mm] | 650-900 | 1050-1550 | 1550-2050 | 2000-2500 |
|----------------------------|----------|-----------|-----------|-----------|
| Blocking capacity BC [daN] | 300 | 300 | 300 | 160 |
| Order ref. | 85001041 | 85001039 | 85001013 | 85001040 |





Shoring poles plus



- Used to secure large items in transit
- Telescopic bar can be shortened or extended quickly without tools
- Simple operation by means of Click Lock when inserting.
- Shoring pole is not spring loaded so there is never any clamping force applied to the roof or the side wall
- Suitable for horizontal and vertical applications
- Equal contact area across the entire length
- Continuous, uniform diameter of the clamping bar that always ensures flat contact surface with transported goods
- Circumferential rubber coating for increased slip-resistance as well as additional protection for the load.

| Order ref. | 85001118 | 85001119 | 85001120 | 85001121 | 85001122 |
|----------------------------|----------|----------|-----------|-----------|-----------|
| Blocking capacity BC [daN] | 450-300 | 450-300 | 350-250 | 300-150 | 300-100 |
| Shoring pole length [mm] | 650-800 | 800-1000 | 1000-1400 | 1400-2050 | 1700-2500 |

Shoring pole holder set



- For secure and spacesaving storage of 2 to 4 shoring poles
- Suitable for both versions of the shoring poles
- For mounting onto the lashing rails on the vehicle side wall or in the roof area
- Powder coated sheet steel
- Colour: anthracite grey (RAL 7016)

| Version | for 2 shoring poles | for 4 shoring poles |
|---------------------------|---------------------|---------------------|
| Dimensions W x D x H [mm] | 85 x 75 x 120 | 85 x 75 x 270 |
| Order ref. | 63003086.19 | 63003087.19 |

Load-securing mat



- For securing loaded goods
- Coefficient of friction in line with VDI guideline 2700 (DEKRA test certificate supplied)
- Flame resistant (fire class BflS1 in accordance with EN 13501)
- Antislip, dimensionally stable, tear resistant, durable, waterproof, oil and fat resistant, washable up to 60°C
- Colour: anthracite grey (RAL 7016)
- Optionally available with anodised aluminium storage pocket (114 x 114 x 500 mm)

| Version | incl. holder | | incl. holder | - |
|---------------------------|---------------|---------------|----------------|----------------|
| Dimensions W x D x H [mm] | 620 x 820 x 5 | 620 x 820 x 5 | 1220 x 820 x 5 | 1220 x 820 x 5 |
| Order ref. | 61302001.19V | 61302002.19V | 61302003.19V | 61302004.19V |

Load restraining pad



- Load restraint kit for securing loaded goods
- Coefficient of friction in line with VDI guideline 2700 (DEKRA test certificate supplied)
- Flame resistant (fire class BflS1 in accordance with EN 13501)
- Antislip, dimensionally stable, tear resistant, durable, waterproof, oil and fat resistant, washable up to 60°C
- Colour: anthracite grey (RAL 7016)
- Optionally available with anodised aluminium storage pocket (160 x 45 x 160 mm)



| Version | incl. holder | |
|---------------------------|----------------|---------------|
| Pack quantity | 6 | 6 |
| Dimensions W x D x H [mm] | 160 x 45 x 160 | 152 x 152 x 5 |
| Order ref. | 61302006.19V | 61302007.19V |



Hook



- Sturdy steel hook for universal installation in the vehicle or on the bott vario3 in-vehicle equipment
- Optimum protection of the stored goods and reduced noise development thanks to rubber-coated contact area
- Diameter of the screw holes: 6.5 mm

| Version | Mount 37 mm | Mount 87 mm |
|---------------------------|---------------|----------------|
| Load capacity [kg] | 15 | 10 |
| Dimensions W x D x H [mm] | 26 x 59 x 110 | 26 x 110 x 140 |
| Order ref. | 14001184.10V | 14001185.10V |

Single lashing point -oo- Construction



- makes quick and flexible load restraint possible
- for mounting on bott vario3 vehicle equipment, suitable for the T-slot on the bott vario3 end frame and various system components
- with Airline-hole patterns -oo- for lashing straps with fittings

| Description | Single lashing point | Installation kit |
|---------------------------|----------------------|------------------|
| Dimensions W x D x H [mm] | 29 x 16 x 112 | - |
| Order ref. | 72610028.19V | 73502076.51V |

C-Lash Lashing strap



- makes quick and flexible load restraint possible
- For mounting on bott vario3 vehicle equipment, on the bott vario3 end frame
- Includes:
- 1x lashing strap (-C-) with cam-buckle
- 2x single lashing point (-C-) surface mounted
- bott branded strap in anthracite grey
- Strap width 25 mm

| Version | Lashing strap C-Lash - surface mounted | Lashing strap C-Lash - surface mounted |
|---------------------|--|--|
| Strap length [mm] | 1000 | 2500 |
| Fixed end [mm] | 100 | 100 |
| Load capacity [daN] | 100 | 100 |
| Order ref. | 72610034.19V | 72610035.19V |

| Version | Lashing strap C-Lash - mounted in T-slot | Lashing strap C-Lash - mounted in T-slot |
|---------------------|--|--|
| Strap length [mm] | 1000 | 2500 |
| Fixed end [mm] | 100 | 100 |
| Load capacity [daN] | 100 | 100 |
| Order ref. | 72610030.19V | 72610031.19V |

| Version | Lashing strap C-Lash - mounted between end frames | Lashing strap C-Lash - mounted between end frames |
|---------------------|---|---|
| Strap length [mm] | 1000 | 2500 |
| Fixed end [mm] | 100 | 100 |
| Load capacity [daN] | 100 | 100 |
| Order ref. | 72610041.17V | 72610042.17V |

| Version | Lashing strap with C-Lash and cam-buckle | Lashing strap with C-Lash and cam-buckle | Lashing strap with C-Lash and cam-buckle |
|---------------------|--|--|--|
| Strap length [mm] | 700 | 1000 | 2500 |
| Fixed end [mm] | 100 | 100 | 100 |
| Load capacity [daN] | 50 | 50 | 50 |
| Order ref. | 62626099.19V | 62626095.19V | 62626096.19V |



Lashing strap with auto-wind



- For quick and easy load restraint
- Variant without fixed length strap end must be bolted to in-vehicle equipment module
- Black strap
- Strap width 25 mm
- Strap length 2000 mm

| Version | Hook – Hook | Fitting – to be bolted on | Fitting – Fitting |
|---------------------|-------------|---------------------------|-------------------|
| Fixed end [mm] | 200 | _ | 200 |
| Load capacity [daN] | 125 | 125 | 125 |
| Order ref. | 62626062.90 | 62626061.90 | 62626065.90 |





Lashing eyes



- Sheet steel, zinc-plated
- Flush-fitting
- Including fixing kit

| Version | Lashing eye | Lashing eye |
|---------------------------|---------------|----------------|
| Load capacity [daN] | 350 | 800 |
| Dimensions W x D x H [mm] | 104 x 70 x 12 | 145 x 100 x 17 |
| Order ref. | 63003033.51V | 63003034.51V |







Ratchet strap with hook end



- bott branded strap in anthracite grey
- Universal hook for use with lashing eyes
- Strap width 25 mm

| Strap length [mm] | 3000 | 5000 |
|---------------------|--------------|--------------|
| Fixed end [mm] | 130 | 500 |
| Load capacity [daN] | 400 | 650 |
| Order ref. | 62626067.19V | 62626033.19V |

Lashing straps with wide belt strap



- bott branded lashing strap in anthracite grey
- Strap width 50 mm

| Version | Wire hook | Snap hook |
|---------------------|-------------|-------------|
| Strap length [mm] | 5000 | 5000 |
| Fixed end [mm] | 500 | 500 |
| Load capacity [daN] | 750 | 750 |
| Order ref. | 62626089.19 | 62626091.19 |

Strap with cam buckle



- bott branded strap in anthracite grey
- Strap width 25 mm

| Order ref. | 62626037.19V | 62626039.19V |
|---------------------|--------------|--------------|
| Load capacity [daN] | 300 | 300 |
| Strap length [mm] | 1000 | 2500 |





Lashing straps with snap hook



- bott branded strap in anthracite grey
- Strap width 25 mm

| Version | Ratchet | Ratchet | Ratchet |
|---------------------|-------------|-------------|-------------|
| Strap length [mm] | 2500 | 3500 | 5000 |
| Fixed end [mm] | 250 | 500 | 500 |
| Load capacity [daN] | 650 | 650 | 650 |
| Order ref. | 62626075.19 | 62626076.19 | 62626077.19 |

| Version | Cam-buckle | Cam-buckle | Cam-buckle |
|---------------------|-------------|-------------|-------------|
| Strap length [mm] | 2500 | 3500 | 5000 |
| Fixed end [mm] | 250 | 500 | 500 |
| Load capacity [daN] | 150 | 150 | 150 |
| Order ref. | 62626081.19 | 62626082.19 | 62626083.19 |

Mobile workstation

Mobile office solutions

Always perfectly organised

Everything to hand







The mobile workshop

bott vario3 in-vehicle equipment offers a variety of possibilities for setting up your mobile workplace. With our solutions you can organise your equipment perfectly and have everything quickly to hand. Robust worktops in the service vehicle offer the perfect platform for a tradesman's activities.

bott vario3 offers a number of flexible possibilities for integrating a practical, robust workbench into your service vehicle. What's more, the folding and retractable worktops with vices will allow you to work effectively outside of the vehicle.

The mobile office

For dealing with paperwork, the bott vario CarOffice is an excellent choice. You can attach it to the passenger seat and store your documents neatly inside.

With the storage pockets, you have a clear view of your customer contracts and other documents. Small parts and pens can be housed in the large bottBox. There's also an option to integrate a pull-out writing surface in your bott vario3 in-vehicle equipment if you need it for your assignment.

Mobile workstation

Folding worktop



- For working with materials outside of the vehicle
- Cross-laminated beech plywood worktop, natural finish, multiple layered and laterally glued in layers with an oiled finish
- Suitable for vices with jaw width of up to 125 mm

| Version | without vice | incl. vice with 125 mm jaw width | incl. turntable and vice with 125 mm jaw width |
|---------------------------|-----------------|----------------------------------|--|
| Dimensions W x D x H [mm] | 125 x 285 x 895 | 220 x 285 x 895 | 240 x 285 x 895 |
| Order ref. | 71220042.19V | 71220043.19V | 71220044.19V |

bott vario CarOffice



- Practical way to store office supplies
- Ensures order in the passenger seat
- With two holders for brochures, catalogues and other documents
- A storage box for small parts that can be quickly removed
- A folding, non-slip writing pad with magnetic holder and built-in cylinder holder
- Simple and secure mounting on the passenger seat with the seat belt and a variably adjustable headrest adapter



| Dimensions W x D x H [mm] | 340 x 520 x 690 |
|---------------------------|-----------------|
| Order ref. | 63003098.19V |



Mobile workshop with sliding shelf and multi-function table



- The ideal companion for mobile, semi-stationary work on the construction site
- Transport and mobile storage of systainers, hand tools and consumables
- Outstanding movement over steps thanks to large full-rubber and impact-resistant wheels (diameter: 200mm)
- Angle of push handle adjustable, sliding surfaces and integral handle on the shelf enable easy loading of the unit into a vehicle by a single person
- Effortless set-up and dismantling and compact dimensions
- Sturdy working area comprising perforated panel and aluminium profile offers flexible clamping and attachment options
- Dimensions of attached table: 1045 x 500 mm

| Dimensions W x D x H [mm] | 600 x 641 x 1185 |
|---------------------------|------------------|
| Order ref. | 72522042.90V |





Mobile workstation

Storing and securing small parts

Always perfectly organised











Accessories to suit every requirement

The following pages give some practical tips when working with your service vehicle. Your equipment is stowed away safely and the materials clearly organised in the bott vario3 in-vehicle equipment. You can work efficiently and reliably.

We can offer you numerous options for the storage of small parts and all kinds of equipment.

Our product range contains the right solution for almost every requirement. bott vario3 in-vehicle equipment really does offer a place for everything. Let us help you bring order and neatness into your daily routine.

Gas cylinder set with strap



- For the safe transport of compressed gas canisters
- Strap length 1000mm
- Load capacity up to 500 daN



| Version | with 1 lashing rail and 1 ratchet strap | with 1 lashing rail and 1 ratchet strap | with 1 lashing rail and 1 ratchet strap |
|---------------------------|---|---|---|
| For system depth [mm] | 264 | 376 | 488 |
| Dimensions W x D x H [mm] | 21 x 264 x 46 | 21 x 376 x 46 | 21 x 488 x 46 |
| Order ref. | 72615001.19V | 72615002.19V | 72615003.19V |

| Version | with 2 lashing rails and 2 ratchet straps | with 2 lashing rails and 2 ratchet straps | with 2 lashing rails and 2 ratchet straps |
|---------------------------|---|---|---|
| For system depth [mm] | 264 | 376 | 488 |
| Dimensions W x D x H [mm] | 21 x 264 x 46 | 21 x 376 x 46 | 21 x 488 x 46 |
| Order ref. | 72615004.19V | 72615005.19V | 72615006.19V |

| Version | With 1 support rail and 1 ratchet strap / for SLF-C | With 1 support rail and 1 ratchet strap / for SLF-C |
|---------------------------|---|---|
| For system depth [mm] | 376 | 488 |
| Dimensions W x D x H [mm] | 21 x 376 x 46 | 21 x 488 x 46 |
| Order ref. | 72615007.19V | 72615008.19V |



Floor-mounted vent



- Provides floor -level ventilation when transporting compressed gas cylinders
- Plastic: anthracite
- Necessary cut-out Ø 89 mm
- Cut-out for cover on the wooden vehicle floor Ø 89 mm
- With DEKRA certificate



| Order ref. | 63502055.19V |
|---------------------------|-----------------|
| Dimensions W x D x H [mm] | 110 x 110 x 100 |
| Version | Floor vent |

Floor-mounted vent



- Provides floor -level ventilation when transporting compressed gas cylinders
- Sheet steel, galvanised
- With square section duct and water deflection plate
- Requires 130 x 130 mm cut-out

| Dimensions W x D x H [mm] | 164 x 164 x 80 |
|---------------------------|----------------|
| Order ref. | 08032021 |

Roof- or side-mounted vent



- Provides roof or side ventilation when transporting compressed gas cylinders
- Plastic: anthracite
- For cut-out Ø 54 mm
- Low-profile design means vehicle can still be cleaned in a car-wash
- Incl. fixing clip
- With DEKRA certificate



| Version | Vent |
|---------------------------|---------------|
| Dimensions W x D x H [mm] | 94 x 140 x 40 |
| Order ref. | 63502054.19V |

Roof- or side-mounted vent



- Provides roof or side ventilation when transporting compressed gas cylinders
- Plastic: black
- Requires 76 x 216 mm cut-out
- Low-profile design means vehicle can still be cleaned in a car-wash

| Dimensions W x D x H [mm] | 205 x 355 x 50 |
|---------------------------|----------------|
| Order ref. | 80833215.10V |



Gas cylinder cabinet



- ergonomic operation by air stopped shelf with full extension slide
- secure storage of the air stopper by integrated lashing rail (-oo-)
- storage and transport in accordance with regulations by ventilation opening in the cabinet base and circumferential door seal
- for installation in a system field of a bott vario3 in-vehicle equipment

| Dimensions W x D x H [mm] | 590 x 366 x 800 |
|---------------------------|-----------------|
| Order ref. | 70001001.19V |

Document holders



- Anodised aluminium
- $\hfill \blacksquare$ For document storage or other equipment

| Version | Long items | Long items | DIN first-aid kits | DIN A4 portrait | DIN A4 (angled) |
|------------------------------|-----------------|---------------|--------------------|-----------------|-----------------|
| From system depth [mm] | 264 | 264 | 264 | 264 | 376 |
| Dimensions W x D x H [mm] | 114 x 114 x 500 | 76 x 76 x 500 | 175 x 93 x 230 | 215 x 85 x 275 | 256 x 300 x 300 |
| Order ref. | 62530004.97V | 62530005.97V | 62530003.97V | 62530001.97V | 62530006.97V |

Lashing strap bag



■ Ideal for vehicles with bott vario3 van racking



| Dimensions W x H [mm] | 300 x 265 |
|-----------------------|-----------|
| Order ref. | 14014066 |

TiltBox



- Practical small parts tilt bin for simple installation onbott vario end frames and perfo perforated panels
- Includes 1 divider
- The transparent insert can be removed
- Simple and secure operation thanks to central pushbutton
- An additional divider can be used to divide the TiltBox intothree sections of approximately equal size
- Load capacity: 4 kg



| Version | Tiltbox | Tiltbox | Additional TiltBox divider |
|---------------------------|-----------------|-----------------|----------------------------|
| Pack quantity | 1 | 8 | 1 |
| Dimensions W x D x H [mm] | 304 x 147 x 196 | 304 x 147 x 196 | 3 x 106 x 171 |
| Order ref. | 14014060.19V | 14014063.19V | 14014065 |



Document holder



- A light plastic pocket for documents, brochures and small document folders
- DIN A4 landscape format
- Incl. labelling clip for colour coordination
- Hole pattern matched to the perfo hole grid in the bott vario3 end frames for quick installation without drilling

| Version | DIN A4 landscape format |
|---------------------------|-------------------------|
| From system depth [mm] | 376 |
| Dimensions W x D x H [mm] | 340 x 100 x 213 |
| Order ref. | 14014028.19 |



Universal holder for safety helmets



- Universally adjustable for different sizes and shapes
- Optimised for installation on bott vario3 end frames or perfo perforated panels
- Material: Anodised aluminium



| Dimensions W x D x H [mm] | 256 x 0 x 281 |
|---------------------------|---------------|
| Order ref. | 63003130.97 |

bott vario3 Cable winder



- Swivelling cable winder with automatic winding and cable 10 m long for convenient use in the vehicle
- For assembly on the side of the bott vario3 SLF



| Version | Cable winder |
|---------------------------|-----------------|
| From system depth [mm] | 376 |
| Dimensions W x D x H [mm] | 400 x 165 x 300 |
| Order ref. | 73508026.19V |



bott vario3 spray can holder, angled

- suitable for bott vario3 vehicle equipment for mounting on the SLF
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)



| Version | For cans up to max. ø 68 mm |
|---------------------------|-----------------------------|
| Pack quantity | 1 |
| Dimensions W x D x H [mm] | 100 x 230 x 159 |
| Order ref. | 72530003.19V |

bott vario3 cartridge holder, angled

- suitable for bott vario3 vehicle equipment for mounting on the SLF
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)



| Version | For cartridges up to max. ø 50 mm |
|---------------------------|-----------------------------------|
| Pack quantity | 1 |
| Dimensions W x D x H [mm] | 100 x 230 x 159 |
| Order ref. | 72530002.19V |

Storage box for end frames



- For the storing of small parts and required materials
- For installing on bott vario3 end frames
- Incl. Fixing kit
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)

| For system depth [mm] | 376 | 488 |
|---------------------------|-----------------|-----------------|
| Dimensions W x D x H [mm] | 100 x 376 x 100 | 100 x 488 x 100 |
| Order ref. | 73003002.19V | 73003003.19V |

Storage pocket with 2 cones



- Anodised aluminium storage pocket with 2 cones
- For installing on bott vario3 end frames
- 2 cones with flashing and continuous light
- Cone dimension W x D x H: 280 x 280 x 500 mm
- Incl. storage bag



| From system depth [mm] | 376 |
|---------------------------|-----------------|
| Dimensions W x D x H [mm] | 300 x 132 x 310 |
| Order ref. | 63003122.97V |

Folding storage box



- Volume 30 litres
- Needs little space when folded up
- Assembled quickly thanks to Velcro closures
- Extremely stable thanks to integrated reinforced panels
- Watertight and resistant to many chemicals and oils
- Also ideal as an emergency measure in the event of an oil leak on construction, agricultural or forestry machinery or other leaks
- Storage pocket made of anodised aluminium for mounting on the bott vario3 end frame

| Version | with storage pocket |
|---------------------------|---------------------|
| From system depth [mm] | 488 |
| Dimensions W x D x H [mm] | 437 x 43 x 600 |
| Order ref. | 72530021.97V |



Case holder for Systainer³ Organizer and varioCase 84



- Painted steel sheet
- Colour: anthracite grey (RAL 7016)

| Version | Case holder |
|------------------------|--------------|
| From system depth [mm] | 376 |
| Dimensions W x D [mm] | 100 x 371 |
| Order ref. | 72103032.19V |

Box shelf with bottBoxes for vehicle bulkhead



- For mounting directly on the vehicle bulkhead or on a perfo perforated panel
- Aluminium box tray
- Incl. 7x bottBox M1

| Dimensions W x D x H [mm] | 920 x 128 x 67 |
|---------------------------|----------------|
| Order ref. | 62533403.19V |


Spirit level holder



- For transporting long parts such as spirit levels or hydrant keys
- For mounting on bott vario3 shelves or long item top trays
- With hook and loop fasteners and fixing bolts
- Pack of 2
- Powder-coated sheet steel
- Colour: anthracite grey (RAL 7016)

| Dimensions W x D x H [mm] | 94 x 32 x 58 |
|---------------------------|--------------|
| Order ref. | 73508001.19V |

Handle



- For safe entry into the vehicle
- For installation inside side or rear doors
- Hole spacing 408 mm
- Colours: yellow-green (RAL 6018) anthracite grey (RAL 7016)



| Version | yellow-green | anthracite grey |
|---------------------------|---------------|-----------------|
| Dimensions W x D x H [mm] | 40 x 75 x 435 | 40 x 75 x 435 |
| Order ref. | 80701007.17 | 80701007.19 |



Hose holder



- For storage of hoses and cables
- Made of die-cast aluminium

| Version | Hose holder S | Hose holder M | Hose holder L | Hose holder X |
|---------------------------|----------------|-----------------|-----------------|-----------------|
| From system depth [mm] | 264 | 264 | 376 | 376 |
| Dimensions W x D x H [mm] | 190 x 70 x 145 | 265 x 105 x 200 | 350 x 145 x 255 | 415 x 190 x 305 |
| Order ref. | 14050001 | 14050002 | 14050003 | 14050004 |

Jerrycan compartment



- Suitable for 5 | plastic fuel cans or 10 l/20 | sheet steel fuel
- For 5 I cans: made of anodised aluminium
- For 10 I and 20 I jerrycans: made of powder-coated sheet steel RAL 7016
- Incl. cam buckle strap with self-locking buckle for securing jerrycans while driving

| Order ref. | 63003007.97V | 63003008.19V | 63003009.19V |
|---------------------------|-----------------|-----------------|-----------------|
| Dimensions W x D x H [mm] | 163 x 311 x 215 | 173 x 342 x 243 | 518 x 342 x 243 |
| Version | 1x 5 l | 1x 10 / 20 | 3x 10 / 20 |

Sack truck



- Sturdy aluminium / plastic construction
- Transport platform approx. W 490 x D 270 mm
- Folding base & wheels / telescopic handle
- Incl. rubber strap to secure goods in place
- Max. load capacity = 125 kg

| Dimensions W x D x H [mm] | 490 x 60 x 755 |
|---------------------------|----------------|
| Order ref. | 63003026.90V |

Sack truck holder



- Suitable for the bott sack truck
- For installing on vehicle bulkheads and bott vario3 end frames
- Fixing kit included
- Material: Sheet steel
- Colour: anthracite grey (RAL 7016)

| Version | Sack truck holder |
|---------------------------|-------------------|
| From system depth [mm] | 488 |
| Dimensions W x D x H [mm] | 500 x 72 x 80 |
| Order ref. | 63502064.19V |

Accessories



Dolly



- For the fast and straightforward transport of several cases
- Suitable for all systainer³ M and L
- Optimum running and stability thanks to large wheels and wheel spacing
- Simple integration in bott vario3 in-vehicle equipment thanks to side mounts (width 5 / flat height 175mm)
- 4 swivel castors, front with 2x brake castors
- Wheel diameter: 100 mmLoad capacity 100 kg
- Colour: anthracite grey



| Description | Systainer ³ dolly |
|---------------------------|---|
| For case type | All systainer ³ M + L as well as systainer T-LOC |
| Dimensions W x D x H [mm] | 508 x 397 x 160 |
| Order ref. | 72522029.19V |

Holder for dolly



- For the fast, simple and safe storage of the Systainer³ skateboard
- Noise reduced by rubber buffers
- For installation at the side on the bott vario3 SLF frames or perforated panels
- Material: powder-coated aluminium(RAL 7016)





| Version | Holder for Systainer ³ dolly |
|---------------------------|---|
| From system depth [mm] | 376 |
| Dimensions W x D x H [mm] | 290 x 66 x 439 |
| Order ref. | 73508025.19V |

Accessories

Long-item top tray with sliding end-plate



- For the storing and transporting of long items
- Convenient loading and unloading without entering the vehicle
- Can be combined with lashing strap C-Lash (-C-) with single point lashing (-C-) design for optimal load restraint
- Length is continuously adjustable
- Height: 100 mmLoad capacity: 30 kg

| max. number Single lashing point (-C-) installation | 4 | 5 | 7 | 10 |
|---|------------------|------------------|------------------|------------------|
| System depth [mm] | 264 | 264 | 264 | 264 |
| Dimensions W x D x H [mm] | 2046 x 264 x 100 | 2158 x 264 x 100 | 2158 x 264 x 100 | 3614 x 264 x 100 |
| Order ref. | 72533172.97V | 72533173.97V | 72533174.97V | 72533175.97V |


| max. number Single lashing point (-C-) installation | 4 | 5 | 7 |
|---|------------------|------------------|------------------|
| System depth [mm] | 376 | 376 | 376 |
| Dimensions W x D x H [mm] | 2046 x 376 x 100 | 2158 x 376 x 100 | 2158 x 376 x 100 |
| Order ref. | 72533176.97V | 72533177.97V | 72533178.97V |



Accessories



Heavy duty sliding platforms with full extension slide



- Smooth-running heavy duty sliding platform with 200 kg loadcapacity
- Ergonomic access to the cargo via 100% full extension slide
- Can be locked when open, making easy loading and unloading ofheavy and bulky objects possible
- Flexible load restraint thanks to lashing rails with airline profile leintegrated on both sides
- Simple and safe operation via to large ergonomic handle
- Sturdy structure made of lightweight aluminium and sturdy sheetsteel, with slip-resistant plastic panel
- Can be installed directly on the vehicle fl oor
- Height 101 mm

| Width [mm] | 492 | 492 | 492 |
|-------------------------------------|--------------|--------------|--------------|
| Depth [mm] | 716 | 940 | 1388 |
| Dimensions of cargo area W x D [mm] | 420 x 622 | 420 x 846 | 420 x 1294 |
| Order ref. | 71220021.19V | 71220022.19V | 71220023.19V |

| Width [mm] | 716 | 716 | 716 |
|-------------------------------------|--------------|--------------|--------------|
| Depth [mm] | 716 | 940 | 1388 |
| Dimensions of cargo area W x D [mm] | 646 x 622 | 646 x 846 | 646 x 1294 |
| Order ref. | 71220024.19V | 71220025.19V | 71220026.19V |

| Dimensions of cargo area W x D [mm] | 870 x 622 | 870 x 846 | 870 x 1294 |
|-------------------------------------|-----------|-----------|------------|
| Depth [mm] | 716 | 940 | 1388 |
| Width [mm] | 940 | 940 | 940 |

| Order ref. | 71220030.19V | 71220031.19V | 71220032.19V |
|-------------------------------------|--------------|--------------|--------------|
| Dimensions of cargo area W x D [mm] | 1094 x 622 | 1094 x 846 | 1094 x 1294 |
| Depth [mm] | 716 | 940 | 1388 |
| Width [mm] | 1164 | 1164 | 1164 |

Drawer dividers Dividers and cross dividers Small parts storage boxes Smallest parts stowed away safely and clearly organised





An end to constantly searching for what you need

Keep your parts and materials perfectly organised with bott vario3 storage drawers. They're a great way to organise all your tools and small parts and to store them safely. Everything is kept in its place in the load space, even in difficult driving conditions. Simply position the drawers where they are easiest to reach to keep your material handy. Our smooth running and robust drawers have a high load capacity and can hold up to 70 kilograms.

We offer numerous different options for dividing the drawer interior. Configure your drawers with dividers and cross dividers for well-organised storage. You could, of course, also use one of our small parts storage box divider kits. They offer the additional advantage that you can carry them and their contents to wherever you are working. A great way to keep everything handy. You can label the small parts storage boxes, so you'll always know what's inside them.

Drawer dividers









Dividers and cross dividers


- Predefined kits for all drawer sizes and front heights permit quick and easy subdivision of the drawer both front to back and left to right
- Dividers and cross-dividers give a clear overview and reduce search times
- Plastic divider holders prevent rattle and minimise noise
- All drawer divider components can be purchased individually so custom configurations are also possible

Small parts storage boxes

- $\hfill \blacksquare$ For the clear and orderly storage of small parts
- Predefined kits for all drawer sizes and front heights permit quick and easy subdivision of the drawer with small parts boxes of various sizes
- Rounded corners have been moulded into the base of the boxes so smaller parts are easy to remove.
- Suitable for bott vario3 drawers with front heights of 100 mm, cubio drawers, Systainer³ Organizers and varioCase service cases
- All the boxes can be labelled easily with the optional label clip

Drawer dividers





Further solutions

- Foam inlays for hand tools
- Storage trays
- Trough blocks

Case Systems

Connects workshop, service vehicle and construction site

Perfectly integrated in the bott vario3 in-vehicle equipment

Widely used market standard





Systainer³ connects

With the practical and robust system case, you can neatly organise small parts and consumables. In the Systainer³ you can transport everything comfortably and safely to your place of work. Cases can be inserted like drawers into the in-vehicle equipment using guide rails. The same guide rails have been integrated into the bott workshop equipment range so your Systainer³ case can be stored in your workshop just as easily as your van.

The Systainer³ is a widely-distributed market standard that has been designed to fit perfectly into the bott vario3 in-vehicle equipment. Festool, Tanos and bott developed the mobility concept together in order to provide the perfect service case. The cases are stackable and can be connected. The front of the Systainer³ can be labelled in bank card format to show its contents.

Case Systems



- A wide product offer and comprehensive range of accessories provide optimal solutions for any application
- Simple integration into bott vario3 in-vehicle equipment and bott workshop equipment thanks to integrated guide rails
- Promote efficient working through orderly and clear storage of tools, small parts and consumables
- Maximum mobility on the construction site and in use
- All cases are available in two widths and are optimally designed for use with the bott vario3 system widths
- Ideal in combination with the bott vario3 service case sliding shelf. The full extension slide allows efficient and unrestricted access to the contents of the case without having to remove the case from the in-vehicle equipment





Systainer³

- Practical and sturdy system case for the secure storage and transport of small parts and consumables
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders, one either side of the carry handle (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg



Systainer³ Organizer


- Transparent lid allows you to see the contents and minimises search times
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders, one either side of the carry handle (bank card format)
- Can be stacked and linked to many other Systainer products
- Load bearing capacity: 20 kg



bott varioCase

- High-quality service cases made from lightweight aluminium or robust sheet steel
- Versatile use due to comprehensive accessories
- Automatically locks when the lid is closed preventing accidental spills
- Load bearing capacity: 20 kg

Systainer³ M case systems







Systainer³ M case systems



Systainer³ M empty case for individual assembly



- Practical and sturdy system case for the safe and proper storage and transport of power tools, hand tools, small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







| Description | Systainer ³ M 112 | Systainer ³ M 137 | Systainer³ M 187 |
|---------------------------|------------------------------|------------------------------|------------------|
| Version | Carry handle | Carry handle | Carry handle |
| Assembly | Empty | Empty | Empty |
| Dimensions W x D x H [mm] | 396 x 296 x 112 | 396 x 296 x 137 | 396 x 296 x 187 |
| Order ref. | 72520003.19V | 72520004.19V | 72520005.19V |







| Description | Systainer ³ M 237 | Systainer ³ M 337 | Systainer ³ M 437 |
|---------------------------|------------------------------|------------------------------|------------------------------|
| Version | Moulded finger grip | Moulded finger grip | Moulded finger grip |
| Assembly | Empty | Empty | Empty |
| Dimensions W x D x H [mm] | 396 x 296 x 237 | 396 x 296 x 337 | 396 x 296 x 437 |
| Order ref. | 72520006.19V | 72520007.19V | 72520008.19V |

Systainer³ M 112 with universal inlay




- Practical and sturdy system case for the safe and proper storage and transport of small parts and consumables
- Equipped with universal inlay with 10 differently sized compartments and lid insert
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS

| Description | Systainer ³ M 112 |
|---------------------------|--------------------------------------|
| Version | Carry handle |
| Assembly | Universal inlay with 10 compartments |
| Dimensions W x D x H [mm] | 396 x 296 x 112 |
| Order ref. | 72520027.19V |





Systainer³ M with compartment divider set



- Practical and sturdy system case for the safe and proper storage and transport of hand tools, small parts and consumables
- Equipped with compartment divider set for the division of the case into up to 6 equally sized compartments
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS














| Description | Systainer ³ M 112 | Systainer ³ M 137 | Systainer ³ M 187 | Systainer ³ M 237 | Systainer ³ M 337 | Systainer ³ M 437 |
|------------------------------|--|--|--|------------------------------|------------------------------|------------------------------|
| Version | Carry handle | Carry handle | Carry handle | Moulded finger grip | Moulded finger grip | Moulded finger grip |
| Assembly | Compartment divider set Lid insert | Compartment divider set Lid insert | Compartment divider set Lid insert | Compartment divider set | Compartment divider set | Compartment divider set |
| Dimensions W x D x H [mm] | 396 x 296 x 112 | 396 x 296 x 137 | 396 x 296 x 187 | 396 x 296 x 237 | 396 x 296 x 337 | 396 x 296 x 437 |
| Order ref. | 72520052.19V | 72520053.19V | 72520054.19V | 72520047.19V | 72520048.19V | 72520049.19V |

Systainer³ M 187 with boxes



- Practical and sturdy system case for the safe and proper storage and transport of small parts and consumables
- Equipped with 2 removable box trays with small parts storage boxes
- incl. EPP lid insert
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Case material: ABS
- Box tray material: powder-coated aluminium







| Description | Systainer ³ M 187 | Systainer ³ M 187 | Systainer ³ M 187 |
|---------------------------|------------------------------|------------------------------|------------------------------|
| Version | Carry handle | Carry handle | Carry handle |
| Assembly | 18 boxes | 25 boxes | 32 boxes |
| Dimensions W x D x H [mm] | 396 x 296 x 187 | 396 x 296 x 187 | 396 x 296 x 187 |
| Order ref. | 72520050.19V | 72520058.19V | 72520059.19V |





Systainer³ M with die-cut foam insert



- Practical and sturdy system case for the safe and proper storage and transport of hand tools, small parts and consumables
- Equipped with foam cushion, die-cut foam inserts (25mm pitch) and lid pad for designing individual inserts
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







| Description | Systainer ³ M 112 | Systainer ³ M 137 | Systainer³ M 187 |
|---------------------------|---|---|---|
| Version | Carry handle | Carry handle | Carry handle |
| Assembly | 1x foam cushion 1x die-cut foam insert 1x lid pad | 1x foam cushion 1x die-cut foam insert 1x lid pad | 1x foam cushion 3x die-cut foam insert 1x lid pad |
| Dimensions W x D x H [mm] | 396 x 296 x 112 | 396 x 296 x 137 | 396 x 296 x 187 |
| Order ref. | 72520038.19V | 72520039.19V | 72520040.19V |








| Description | Systainer ³ M 237 | Systainer ³ M 337 | Systainer ³ M 437 |
|---------------------------|---|---|---|
| Version | Moulded finger grip | Moulded finger grip | Moulded finger grip |
| Assembly | 1x foam cushion 5x die-cut foam insert 1x lid pad | 1x foam cushion 5x die-cut foam insert 1x lid pad | 1x foam cushion 5x die-cut foam insert 1x lid pad |
| Dimensions W x D x H [mm] | 396 x 296 x 237 | 396 x 296 x 337 | 396 x 296 x 437 |
| Order ref. | 72520041.19V | 72520042.19V | 72520043.19V |

Systainer³ M with spray can insert



- Practical and sturdy system case for the safe and proper storage and transport of spray cans
- Equipped with spray can insert made of EPP for 14 cans with max. diameter 69 mm
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS






| Description | Systainer ³ M 337 | Systainer ³ M 437 |
|---------------------------|------------------------------|------------------------------|
| Version | Moulded finger grip | Moulded finger grip |
| Assembly | Spray can insert | Spray can insert |
| Dimensions W x D x H [mm] | 396 x 296 x 337 | 396 x 296 x 437 |
| Order ref. | 72520029.19V | 72520030.19V |



Systainer³ M with cartridge storage insert



- Practical and sturdy system case for the safe and proper storage and transport of cartridges
- Equipped with cartridge storage insert made of EPP for22 cartridges with max. diameter 51 mm and 15 cartridge nozzles
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS





| Description | Systainer ³ M 337 | Systainer ³ M 437 |
|---------------------------|------------------------------|------------------------------|
| Version | Moulded finger grip | Moulded finger grip |
| Assembly | Cartridge storage insert | Cartridge storage insert |
| Dimensions W x D x H [mm] | 396 x 296 x 337 | 396 x 296 x 437 |
| Order ref. | 72520031.19V | 72520032.19V |

Systainer³ M with suspension frame



- Practical and sturdy system case for the safe and proper storage and transport of suspended files
- Equipped with suspension frame for suspended files and folders in accordance with DIN 821
- Incl. lid bag for office supplies
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS

| Description | Systainer ³ M 337 |
|---------------------------|------------------------------|
| Version | Pull-out aid |
| Assembly | Suspension frame + lid bag |
| Dimensions W x D x H [mm] | 396 x 296 x 337 |
| Order ref. | 72520036.19V |



Systainer³ L case systems



Systainer³ L empty case for custom configuration



- Practical and sturdy system case for the safe and proper storage and transport of power tools, hand tools, small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







| Description | Systainer ³ L 137 | Systainer ³ L 187 | Systainer ³ L 237 |
|---------------------------|------------------------------|------------------------------|------------------------------|
| Version | Carry handle | Carry handle | Moulded finger grip |
| Assembly | Empty | Empty | Empty |
| Dimensions W x D x H [mm] | 508 x 296 x 137 | 508 x 296 x 187 | 508 x 296 x 237 |
| Order ref. | 72520009.19V | 72520010.19V | 72520011.19V |

Systainer³ L 137 with universal insert



- Practical and sturdy system case for the safe and proper storage and transport of small parts and consumables
- Equipped with universal insert with 6 differently sized compartments and lid insert
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS


| Description | Systainer ³ L 137 |
|---------------------------|--------------------------------------|
| Version | Carry handle |
| Assembly | Universal insert with 6 compartments |
| Dimensions W x D x H [mm] | 508 x 296 x 137 |
| Order ref. | 72520028.19V |



Systainer³ L case systems



Systainer³ L with compartment divider set



- Practical and sturdy system case for the safe and proper storage and transport of hand tools, small parts and consumables
- Equipped with compartment divider set for the division of the case into up to 6 equally sized compartments
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







| Order ref. | 72520055.19V | 72520056.19V | 72520057.19V |
|---------------------------|---------------------------------------|---------------------------------------|-------------------------|
| Dimensions W x D x H [mm] | 508 x 296 x 137 | 508 x 296 x 187 | 508 x 296 x 237 |
| Assembly | Compartment divider set Lid insert | Compartment divider set Lid insert | Compartment divider set |
| Version | Carry handle | Carry handle | Moulded finger grip |
| Description | Systainer ³ L 137 | Systainer ³ L 187 | Systainer³ L 237 |



Systainer³ L 187 with boxes



- Practical and sturdy system case for the safe and proper storage and transport of small parts and consumables
- Equipped with 2 removable box trays with small parts storage boxes
- incl. EPP lid insert
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Case material: ABS
- Box tray material: powder-coated aluminium








| Description | Systainer ³ L 187 | Systainer ³ L 187 | Systainer ³ L 187 |
|---------------------------|------------------------------|------------------------------|------------------------------|
| Version | Carry handle | Carry handle | Carry handle |
| Assembly | 20 boxes | 29 boxes | 38 boxes |
| Dimensions W x D x H [mm] | 508 x 296 x 187 | 508 x 296 x 187 | 508 x 296 x 187 |
| Order ref. | 72520051.19V | 72520060.19V | 72520061.19V |



Systainer³ L case systems



Systainer³ L with die-cut foam insert



- Practical and sturdy system case for the safe and proper storage and transport of hand tools, small parts and consumables
- Equipped with foam cushion, die-cut foam inserts (25mm pitch) and lid pad for designing individual inserts
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







| Description | Systainer ³ L 137 | Systainer ³ L 187 | Systainer ³ L 237 |
|---------------------------|---|---|---|
| Version | Carry handle | Carry handle | Moulded finger grip |
| Assembly | 1x foam cushion 1x die-cut foam insert 1x lid pad | 1x foam cushion 3x die-cut foam insert 1x lid pad | 1x foam cushion 5x die-cut foam insert 1x lid pad |
| Dimensions W x D x H [mm] | 508 x 296 x 137 | 508 x 296 x 187 | 508 x 296 x 237 |
| Order ref. | 72520044.19V | 72520045.19V | 72520046.19V |

Systainer³ L with tool insert



- Practical and sturdy system case for the safe and proper storage and transport of hand tools
- Equipped with tool insert and lid insert / lid bag
- The tool required can be found quickly thanks to the clear storage of the hand tools required
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to side mounts for guide rails
- T-LOC as central operating element: close, open, connection with just one twist
- Marking possibility thanks to 2 slot card compartments in standard bank card format on the front
- Can be stacked and linked to many other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS





| Description | Systainer ³ L 187 | Systainer ³ L 237 |
|---------------------------|------------------------------|------------------------------|
| Version | Carry handle | Pull-out aid |
| Assembly | Tool insert and lid bag | Tool insert and lid bag |
| Dimensions W x D x H [mm] | 508 x 296 x 187 | 508 x 296 x 237 |
| Order ref. | 72520034.19V | 72520035.19V |



Systainer³ Organizer M + L case systems



Systainer³ Organizer empty case for individual assembly



- Practical and sturdy system case for the safe and proper storage and transport of small parts and consumables
- Transparent lid allows you to see the contents and minimises search times
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other Systainer products
- Load capacity: 20 kg





| Description | Systainer³ Organizer M 89 | Systainer ³ Organizer L 89 |
|---------------------------|---------------------------|---------------------------------------|
| Assembly | Empty | Empty |
| Dimensions W x D x H [mm] | 396 x 296 x 89 | 508 x 296 x 89 |
| Order ref. | 72520001.19V | 72520002.19V |



Systainer³ Organizer M + L case systems

Systainer³ Organizer with small parts storage boxes



- Practical and sturdy system case for the safe and proper storage and transport of small parts and consumables
- Equipped with small parts storage boxes
- Transparent lid allows you to see the contents and minimises search times
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Multifunctional T-LOC: close, open, connect with just one twist
- 2 integrated label holders on the front of the case (bank card format)
- Can be stacked and linked to many other Systainer products
- Load capacity: 20 kg







| Description | Systainer ³ Organizer M 89 | Systainer ³ Organizer M 89 | Systainer ³ Organizer M 89 |
|---------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Assembly | 12 boxes | 18 boxes | 28 boxes |
| Dimensions W x D x H [mm] | 396 x 296 x 89 | 396 x 296 x 89 | 396 x 296 x 89 |
| Order ref. | 72520021.19V | 72520022.19V | 72520023.19V |







| Description | Systainer ³ Organizer L 89 | Systainer ³ Organizer L 89 | Systainer ³ Organizer L 89 |
|---------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| Assembly | 13 boxes | 20 boxes | 33 boxes |
| Dimensions W x D x H [mm] | 508 x 296 x 89 | 508 x 296 x 89 | 508 x 296 x 89 |
| Order ref. | 72520024.19V | 72520025.19V | 72520026.19V |

Systainer³ ToolBox M + L case systems



Systainer³ ToolBox



- Practical and sturdy carry box for the safe and proper storage and transport of machines, hand tools, small parts and consumables
- No restriction of the storage space by a lid, therefore also suitable for transporting bulky goods
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment thanks to side mounting frames for guide rails
- T-LOC as central operating element: close, open, connect with just one twist
- Marking possibility thanks to 2 slot card compartments in standard bank card format on the front
- Can be stacked and linked to all other Systainer products
- Load bearing capacity (single): 20 kg
- Load bearing capacity (when connected): 40 kg
- Material: ABS







| Description | Systainer ³ ToolBox M 137 | Systainer ³ ToolBox M 187 | Systainer ³ ToolBox M 237 |
|---------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Assembly | Empty | Empty | Empty |
| Dimensions W x D x H [mm] | 396 x 296 x 137 | 396 x 296 x 187 | 396 x 296 x 237 |
| Order ref. | 72520063.19V | 72520064.19V | 72520065.19V |







| Description | Systainer ³ ToolBox L 137 | Systainer ³ ToolBox L 187 | Systainer ³ ToolBox L 237 |
|---------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Assembly | Empty | Empty | Empty |
| Dimensions W x D x H [mm] | 508 x 296 x 137 | 508 x 296 x 187 | 508 x 296 x 237 |
| Order ref. | 72520068.19V | 72520069.19V | 72520070.19V |

Accessories for Systainer³ case systems

Dolly



- For the fast and straightforward transport of several cases
- Suitable for all systainer³ M and L
- Optimum running and stability thanks to large wheels and wheel spacing
- Simple integration in bott vario3 in-vehicle equipment thanks to side mounts (width 5 / flat height 175mm)
- 4 swivel castors, front with 2x brake castors
- Wheel diameter: 100 mm
- Load capacity 100 kg
- Colour: anthracite grey



| Dimensions W x D x H [mm] 508 x 397 x | (160 |
|---------------------------------------|---|
| | |
| or case type All systainer | r ³ M + L as well as systainer T-LOC |
| Description Systainer ³ d | lolly |

Holder for dolly



- For the fast, simple and safe storage of the Systainer³ skateboard
- Noise reduced by rubber buffers
- For installation at the side on the bott vario3 SLF frames or perfo perforated panels
- Material: powder-coated aluminium(RAL 7016)





| Version | Holder for Systainer ³ dolly |
|---------------------------|---|
| From system depth [mm] | 376 |
| Dimensions W x D x H [mm] | 290 x 66 x 439 |
| Order ref. | 73508025.19V |

Accessories for Systainer³ case systems



Transport trolley with drawer



- Practical transport trolley for the convenient transport of systainer system cases
- Simple movement over steps thanks to large wheels
- Integrated drawer for stowing small parts (load capacity 5 kg)
- With adjustable safety strap
- Dolly and sack truck function
- Suitable for all cases with basic dimensions 400 x 300 mm
- Wheel diameter front: 75 mm
- Wheel diameter rear: 200 mm
- Load capacity 100 kg

| Description | Transport trolley with drawer |
|---------------------------|---|
| For case type | All systainer ³ M as well as systainer T-LOC |
| Dimensions W x D x H [mm] | 600 x 440 x 1100 |
| Order ref. | 72522030.90V |






Accessories for Systainer³ case systems

Labelling kit




- For the clean and orderly labelling of the cases
- Reduces search times and increases efficiency
- Suitable for all systainer³ M and L
- For insertion into the two pockets on the front of the case
- Comprising 20 transparent cards and 2 labelling sheets with 10 paper cards each for tearing off

| Description | Labelling kit |
|---------------------------|---|
| For case type | All systainer ³ M + L as well as systainer T-LOC |
| Dimensions W x D x H [mm] | 86 x 1 x 54 |
| Order ref. | 72522038 |









varioCase M case systems

varioCase M empty



- Lightweight and high-quality service case for customised configuration
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium





| Description | varioCase M 84 | varioCase M 135 |
|---------------------------|----------------|-----------------|
| Assembly | Empty | Empty |
| Dimensions W x D x H [mm] | 396 x 337 x 84 | 396 x 337 x 135 |
| Order ref. | 72511001.97V | 72511003.97V |

varioCase M empty



- Sturdy and high-quality service case for customised configuration
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)





| Description | varioCase M 84 | varioCase M 135 |
|---------------------------|----------------|-----------------|
| Assembly | Empty | Empty |
| Dimensions W x D x H [mm] | 396 x 337 x 84 | 396 x 337 x 135 |
| Order ref. | 72511005.19V | 72511007.19V |

varioCase M case systems



varioCase M with dividers and cross dividers



- Lightweight and high-quality service case equipped with dividers and cross dividers
- For the tidy and clear storage of tools and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium





| Description | varioCase M 84 | varioCase M 135 |
|---------------------------|-------------------------------|-------------------------------|
| Assembly | 2x divider / 5x cross divider | 2x divider / 5x cross divider |
| Dimensions W x D x H [mm] | 396 x 337 x 84 | 396 x 337 x 135 |
| Order ref. | 72511013.97V | 72511015.97V |

varioCase M with dividers and cross dividers



- Sturdy and high-quality service case equipped with dividers and cross dividers
- For the tidy and clear storage of tools and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)





| Description | varioCase M 84 varioCase M 135 | |
|---------------------------|--------------------------------|-------------------------------|
| Assembly | 2x divider / 5x cross divider | 2x divider / 5x cross divider |
| Dimensions W x D x H [mm] | 396 x 337 x 84 | 396 x 337 x 135 |
| Order ref. | 72511014.19V | 72511016.19V |

varioCase M case systems

varioCase M 84 with assortments of boxes



- Lightweight and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium









| Description | varioCase M 84 | varioCase M 84 | varioCase M 84 | varioCase M 84 |
|---------------------------|----------------|----------------|----------------|----------------|
| Assembly | 11 boxes | 17 boxes | 24 boxes | 32 boxes |
| Dimensions W x D x H [mm] | 396 x 337 x 84 |
| Order ref. | 72511017.97V | 72511018.97V | 72511020.97V | 72511021.97V |

varioCase M 84 with assortments of boxes



- Sturdy and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)

| Description | varioCase M 84 |
|---------------------------|----------------|
| Assembly | 17 boxes |
| Dimensions W x D x H [mm] | 396 x 337 x 84 |
| Order ref. | 72511019.19V |



varioCase M 135 with assortments of boxes



- Lightweight and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Ample storage space via integrated second storage level with box tray
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium

| Description | varioCase M 135 |
|---------------------------|------------------------|
| Assembly | 33 boxes with box tray |
| Dimensions W x D x H [mm] | 396 x 337 x 135 |
| Order ref. | 72511022.97V |

varioCase M 84 with nozzle insert



- Lightweight and high-quality service case equipped with nozzle insert and small parts storage boxes
- For the safe and clear storage of torch nozzles
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium

| Description | varioCase M 84 |
|---------------------------|---|
| Assembly | Nozzle insert and 2 small parts storage boxes |
| Dimensions W x D x H [mm] | 396 x 337 x 84 |
| Order ref. | 72511029.97V |

varioCase L empty



- Lightweight and high-quality service case for customised configuration
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium





| Description | varioCase L 84 | varioCase L 135 |
|---------------------------|----------------|-----------------|
| Assembly | Empty | Empty |
| Dimensions W x D x H [mm] | 508 x 337 x 84 | 508 x 337 x 135 |
| Order ref. | 72511002.97V | 72511004.97V |

varioCase L empty



- Sturdy and high-quality service case for customised configuration
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)





| Description | varioCase L 84 | varioCase L 135 |
|---------------------------|----------------|-----------------|
| Assembly | Empty | Empty |
| Dimensions W x D x H [mm] | 508 x 337 x 84 | 508 x 337 x 135 |
| Order ref. | 72511006.19V | 72511008.19V |



varioCase L with dividers and cross dividers



- Lightweight and high-quality service case equipped with dividers and cross dividers
- For the tidy and clear storage of tools and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium





| Description | varioCase L 84 | varioCase L 135 |
|---------------------------|-------------------------------|-------------------------------|
| Assembly | 3x divider / 6x cross divider | 3x divider / 6x cross divider |
| Dimensions W x D x H [mm] | 508 x 337 x 84 | 508 x 337 x 135 |
| Order ref. | 72511009.97V | 72511011.97V |

varioCase L with dividers and cross dividers



- Sturdy and high-quality service case equipped with dividers and cross dividers
- For the tidy and clear storage of tools and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)





| Description | varioCase L 84 | varioCase L 135 |
|---------------------------|-------------------------------|-------------------------------|
| Assembly | 3x divider / 6x cross divider | 3x divider / 6x cross divider |
| Dimensions W x D x H [mm] | 508 x 337 x 84 | 508 x 337 x 135 |
| Order ref. | 72511010.19V | 72511012.19V |

varioCase L 84 with assortments of boxes



- Lightweight and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium









| Description | varioCase L 84 | varioCase L 84 | varioCase L 84 | varioCase L 84 |
|---------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Assembly | 12 boxes and tool compartment | 17 boxes and tool compartment | 24 boxes and tool compartment | 32 boxes and tool compartment |
| Dimensions W x D x H [mm] | 508 x 337 x 84 |
| Order ref. | 72511023.97V | 72511024.97V | 72511026.97V | 72511027.97V |

varioCase L 84 with assortments of boxes



- Sturdy and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: powder coated sheet steel
- Colour: anthracite grey (RAL 7016)

| Description | varioCase L 84 |
|---------------------------|-------------------------------|
| Assembly | 17 boxes and tool compartment |
| Dimensions W x D x H [mm] | 508 x 337 x 84 |
| Order ref. | 72511025.19V |



varioCase L 135 with assortments of boxes



- Lightweight and high-quality service case equipped with small parts storage boxes
- For the tidy and clear storage of small parts and consumables
- Ample storage space thanks to second storage level with box tray
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium

| Description | varioCase L 135 |
|---------------------------|---|
| Assembly | 34 boxes with box tray and tool compartment |
| Dimensions W x D x H [mm] | 508 x 337 x 135 |
| Order ref. | 72511028.97V |

varioCase L 84 with nozzle insert



- Lightweight and high-quality service case equipped with nozzle insert and small parts storage boxes
- For the safe and clear storage of oil burner nozzles
- Simple integration in bott vario3 in-vehicle equipment and bott workshop equipment via integrated side mounts for guide rails
- Lid automatically locks when closed preventing accidental spills
- Load capacity: 20 kg
- Material: anodised aluminium

| Description | varioCase L 84 |
|---------------------------|---|
| Assembly | Nozzle insert, 2 small parts storage boxes and tool compartment |
| Dimensions W x D x H [mm] | 508 x 337 x 84 |
| Order ref. | 72511030.97V |

perfo Tidy workplace Quick access to tools and small parts One system - the original





Tidy workplace, tidy mind.


Our perfo perforated wall system provides efficiency and order at the workplace. When tools and small parts are systematically organised, fast access is guaranteed. perfo offers a standardised system with many different hooks and tool holders.

In the bott vario3 in-vehicle equipment, the perfo grid is a standard feature on the end frames. In addition, perforated panels can be provided for the vehicle side linings or vehicle bulkhead.

Furthermore, the perfo perforated panels can be integrated into cubio cabinets and maintenance trolleys. Our perfo perforated panels are particularly suitable for wall or workbench mounting. In addition, free-standing perfo racks and perfo trolleys provide many possibilities for flexible positioning of tools and materials.

perfo bottle holder

- Powder-coated steel, anthracite grey RAL 7016
- With 2 locations, max. Ø 70 mm




perfo water dispenser set

- 12 litre holding capacity
- Dispensing tap on container base
- With aluminium shelf and fixing strap



perfo extended hook

- With wide backplate
- Extended hook end (35 mm)



| Order ref. | 14001117 | 14001119 | 14001121 |
|------------------------------|--------------|--------------|--------------|
| Dimensions W x D x H [mm] | 60 x 25 x 60 | 60 x 50 x 60 | 60 x 75 x 60 |
| Pack quantity | 5 | 5 | 5 |

perfo paper roll holder, self-securing

- For paper rolls with a max. width of 260 mm, Ø 280 mm
- Includes 1 paper roll



| Version | Paper roll holder | Paper rolls |
|------------------------------|-------------------|-----------------|
| Pack quantity | 1 | 12 |
| Dimensions W x D x H [mm] | 315 x 185 x 180 | 200 x 130 x 130 |
| Order ref. | 63003058.19V | 63003074.90V |




perfo hook kit



- Contents
- 2 Hooks D 50 mm
- 2 Hooks D 75 mm
- 2 Extended hooks D 50 mm
- 2 Extended hooks D 75 mm
- 2 Double hooks 75 mm
- 1 Cable hook 100 mm
- 1 Power tool holder 40 mm
- 1 Power tool holder 60 mm
- 1 perfo spanner

Order ref. 14030215

perfo perforated panels



- High rigidity due to side folds
- Additional reinforcements on the back
- Perforation: 9.2 x 9.2 mm, hole spacing: 38.1 mm
- Accessories lock into place with the supplied clip
- Hole spacing is maintained across the panel edge in multiple panel installations

| Dimensions W x D x H [mm] | 495 x 13 x 457 | 991 x 13 x 457 | 1486 x 13 x 457 | 1981 x 13 x 457 |
|---------------------------|----------------|----------------|-----------------|-----------------|
| Order ref. | 14025115.19 | 14025117.19 | 14025118.19 | 14025119.19 |

bottTainer

Theft protection

Fast and ergonomic access

Optimal storage space organisation





Storage space organisation

bottTainer is excellent for organising storage space and restraining loads in the open cargo area. With the divided stowage boxes you always have a good overview of the equipment on your flatbed. You can access your materials and tools quickly and ergonomically at any time via the inner drawers, which are secured and protected with doors or shutters.

The robust frame construction lends the bottTainer high stability. The seals protect your equipment from water ingress and ensure it stays dry. With secure locks, your goods are always protected against theft. You can select your preferred bottTainer model from many different pre-configurations. Or you can let us configure it for you according to your individual requirements.









Stability and safety

- High stability thanks to robust frame construction
- Hard-wearing surfaces:Sides and floors made of galvanized sheet steel
- Two robust locks secure transported goods against theft
- Raised feet guarantee protection from standing moisture

Order and convenience

- Drawer dividers for the clear storage of small parts
- Quick access to the most important equipment via side doors, roller shutters or internal drawers without climbing onto the flatbed
- High degree of weather and splash protection for tools and materials

Versatility

- Easy load restraining on the flatbed
- Available either with an aluminium chequer plate lid or aluminium roller shutter
- Various storage space layouts and configurations

Further solutions for the flatbed

- Load-restraint blankets to secure the load on the flatbed, especially suitable for loose and irregularly shaped items that need to be transported
- Flatbed storage compartment for the rapid and easy securing of loads, to transport shovels, brooms and other tools
- Robust designs made of weatherproof materials



bottTainer with hinged lid



- Slip-resistant aluminium chequer plate lid
- Gas spring secures lid in open position
- Two robust locks secure transported goods against theft

| External dimensions W x D x H mm | 1750 x 650 x 760 | 1930 x 650 x 760 |
|----------------------------------|------------------|------------------|
| Load capacity kg | 200 | 200 |
| Weight kg | 63 | 69 |
| Order ref. | 60020001.51M | 60020002.51M |

bottTainer with hinged lid and removable shelf



- Slip-resistant aluminium chequer plate lid
- Kitted with 2-piece, removable intermediate shelf
- Gas spring secures lid in open position
- Two robust locks secure transported goods against theft

| External dimensions W x D x H mm | 1750 x 650 x 760 | 1930 x 650 x 760 |
|----------------------------------|------------------|------------------|
| Load capacity kg | 300 | 300 |
| Weight kg | 71 | 77 |
| Order ref. | 60020003.51M | 60020004.51M |

bottTainer divider for shelves



■ Divider for positioning above the intermediate shelf

| Order ref. 6300111 | 0.98V |
|--------------------|-------|
|--------------------|-------|

bottTainer with doors and intermediate shelf



- Slip-resistant aluminium chequer plate lid
- Possible versions:
- left and right, each with 1 large door or each with 2 doors located one above the other with sturdy locks
- Firmly secured intermediate shelf
- Upper door can also be opened when the drop sides are closed
- The lower compartment can be configured with drawers as an option
- Incl. divider for subdividing the top compartment

| Drawer set* | Standard duty 70 kg | Standard duty 50 kg |
|----------------------------|----------------------------|----------------------------|
| Dimensions W x D x H mm | 1x 175x540 / 1x 300x540 | 1x 175x795 / 1x 300x795 |
| Order ref. | 60022011.19M | 60022012.19M |

| External dimensions W x D x H mm | 1750 x 630 x 1130 | 1750 x 630 x 1130 | 1930 x 630 x 1130 | 1930 x 630 x 1130 |
|----------------------------------|-------------------|-------------------|-------------------|-------------------|
| Version | 4 doors | 2 doors | 4 doors | 2 doors |
| Load capacity kg | 300 | 300 | 300 | 300 |
| Weight kg | 99 | 98 | 106 | 105 |
| Order ref. | 60022001.51M | 60022003.51M | 60022002.51M | 60022004.51M |

bottTainer with roller shutters



- Weatherproof and lockable roller shutter made of robust aluminium
- Quick access to the complete usable volume



| External dimensions W x D x H mm | 1365 x 710 x 910 |
|----------------------------------|--|
| Version | Drop-front shelves, bottBox sliding shelf with bottBoxes |
| Weight kg | 76 |
| Order ref. | 60021011.51M |

bottTainer



bottTainer crane lift rings



- 4 crane lift rings for quick mobile transport
- Powder-coated
- Colour: jet black (RAL 9005)
- Fixings included

Order ref. 90099590.63

bottTainer forklift base



- Forklift base for quick mobile transport
- Zinc-plated
- Includes fixing kit

| For bottTainer | with hinged lid | with roller shutter |
|---------------------|-----------------|---------------------|
| Dimensions D x H mm | 650 x 130 | 710 x 130 |
| Order ref. | 60020018.51M | 60021006.51M |

bott flatbed storage compartment



- For mounting on the flatbed for quick and simple load restraint
- For transporting shovels, brooms and other tools
- Width is adjustable from 1700 2136mm, thus suitable for almost all flatbeds
- Robust construction made of weather-resistant aluminium chequer plate, secured at each end when the drop-sides are closed



| Order ref. | 60020029.98V | 90099667 |
|-------------------------|-----------------------------|------------|
| Dimensions W x D x H mm | 1700 - 2136 x 622 x 382 | |
| Version | Flatbed storage compartment | Fixing kit |

Load-restraint blanket for flatbed vehicles



- For securing the load on the flatbed
- Especially suitable for loose or bulky transported goods
- Theft protection thanks to the opaque fabric
- Tested according to VDI 2700
- Load capacity up to 200 daN
- Colour: anthracite grey
- 4 fabric dimensions for all common flatbed sizes
- Incl. lashing eyes for the drop sides





| Order ref. | 62627015.19V | 62627016.19V | 62627017.19V | 62627018.19V |
|----------------|--------------|--------------|--------------|--------------|
| Fabric version | S | М | L | XL |
| Flatbed length | 2100-2650 | 2650-3200 | 3200-3750 | 3750-4300 |





"All of my tools are stored securely in the bottTainer.

I carry everything I need at the construction site with me on my flatbed. It's stored in a dry and clean place that is also locked.

Thieves therefore haven't got a chance."

















Try our online configurator!

Discover the many possibilities for designing bott vario3 in-vehicle equipment to suit your individual needs. Pre-configured modules make it easy to get started. As soon has you have sent us your ideas, we will be happy to advise you and draw up a precise tailor-made solution with you. Including all the additional components besides the racking that you cannot do without in your work.



online

planning

result







work smart bott



If you have questions relating to bott products or would like to place an order by telephone, please contact our dialog-aktiv tele-sales team on:

+49 (0) 7971 / 251 – 251.

Alternatively, please send an email to: info@bott.de

www.bott.de

Bott GmbH & Co. KG, Bahnstraße 17, 74405 Gaildorf, Germany dialog-*aktiv*: Tel: +49 (0)79 71 / 251-251, Fax: +49 (0)79 71 / 251-205